

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	32	offload\$4 near10 tcp near10 process\$4 and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:42
S83	128	offload\$4 near10 network\$4 near10 process\$4 and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:42
S84	3	offload\$4 near10 network\$4 near10 process\$4 near10 nIC and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:42
S85	1209	boucher.in. and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:43
S86	26	boucher.in. and @ad<"20010801" and offload\$4 same network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:46
S87	16	@ad<"20010801" and offload\$4 near10 (route routes routing redirect\$4) near10 packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 11:53
S88	27	@ad<"20010801" and offload\$4 near10 (forward\$4) near10 packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:27
S89	2	@ad<"20010801" and offload\$4 near10 (forward\$4) near10 nic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:13
S90	0	@ad<"20010801" and offload\$4 near10 (routing) near10 nic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:13

EAST Search History

S91	58	@ad<"20010801" and packet\$4 near10 (forward\$4) near10 nic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:13
S92	13	@ad<"20010801" and offload\$4 near10 (routing) near10 packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:29
S93	0	@ad<"20010801" and offload\$4 near10 (process\$4) near10 packet\$1 same (OS operat\$4 near5 system\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:30
S94	31	@ad<"20010801" and offload\$4 near10 (process\$4) near10 packet\$1 and (OS operat\$4 near5 system\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 14:51
S95	34	berg.in. and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:11
S96	279	"6006264"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:11
S97	2	"6006264".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:24
S98	3	switch near10 NIC near5 card\$4 near10 install\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:25
S99	6	switch near10 NIC near5 card\$4 near10 blade\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:27
S10 0	268	switch near10 NIC near5 card\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/16 13:27

EAST Search History

S10 1	0	NIC near10 rerout\$2 near10 request\$4 and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:07
S10 2	0	NIC same rerout\$2 near10 request\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:07
S10 3	6	NIC same redirect\$4 near10 request\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:22
S10 4	13	NIC near10 redirect\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:39
S10 5	22	network near5 card\$1 near10 redirect\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:39
S10 6	18	network near5 card\$1 near10 redirect\$4 and @ad<"20010601" not S103 not S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:45
S10 7	33	(NIC network near5 card\$1) near10 load\$1 same send\$4 and @ad<"20010601" not S103 not S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:50
S10 8	187	(NIC network near5 card\$1) near10 intelligent\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:50
S10 9	51	(NIC network near5 card\$1) near10 intelligent\$4 and @ad<"20010601" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 08:55
S11 0	1	(NIC network near5 card\$1) near10 intelligent\$4 same redirect\$4 and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:03

EAST Search History

S11 1	0	(NIC network near5 card\$1) near10 intelligent\$4 same (route routs routing) near10 (performance load\$1) and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:04
S11 2	2	(NIC network near5 card\$1) near10 intelligent\$4 and (route routs routing) near10 (performance load\$1) and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:03
S11 3	41	(NIC network near5 card\$1) same (route routs routing) near10 (performance load\$1) and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:46
S11 4	4	(NIC network near5 card\$1) near10 (route routs routing) near10 (performance load\$1) and @ad<"20010601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:06
S11 5	2	"7165120".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:06
S11 6	8	(NIC network near5 card\$1) same (route routs routing) near10 (performance load\$1) and @ad<"20010601" and 709/217-219, 227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/13 09:46